- 21. The coating of claim 20 wherein the dry powder medicament is ethinyl estradiol.
- 22. The coating of claim 1 further comprising norgestimate.
- 23. The coating of claim 21 wherein the ethinyl estradiol is present in an amount in the range of from about 20 μ g to about 50 μ g.
- 24. The coating of claim 21 wherein the ethinyl estradiol is present in an amount in the range of from about 30 μ g to about 40 μ g.
- 25. The coating of claim 21 wherein the ethinyl estradiol is present in an amount of about 35 μ g.
- 26. The coating of claim 21 wherein the ethinyl estradiol is micronized to a particle size in the range of from about 5 μ m to about 20 μ m.
- 27. The coating of claim 21 wherein the ethinyl estradiol is micronized to a particle size in the range of from about 5 μ m to about 10 μ m.
- 28. The coating of claim 22 wherein the norgestimate is present in an amount in the range of from about 30 μ g to about 250 μ g.
- 29. The coating of claim 22 wherein the norgestimate is micronized to a particle size in the range of from about 5 μ m to about 20 μ m.
- 30. The coating of claim 22 wherein the norgestimate is micronized to a particle size in the range of from about 5 μ m to about 15 μ m.
- 31. The coating of claim 20 wherein the polyethylene glycol is micronized to a particle size in the range of from about 5 μ m to about 10 μ m.
- 32. The coating of claim 20 wherein the polyethylene glycol has a molecular weight in the range of from about 6000 to about 8000.
- 33. The coating of claim 20 wherein the polyethylene glycol has a molecular weight of about 8000.
- 34. The coating of claim 20 wherein the polyethylene glycol has a molecular weight of about 6000.
- 35. The coating of claim 20 wherein the ratio of dry powder medicament to polyethylene glycol is from about 1:1 to about 1:60.
- 36. The coating of claim 20 wherein the ratio of dry powder medicament to polyethylene glycol is from about 1:1 to about 1:40. --

